



OPUS LUBRICANTS PRODUCT DATA

LHM FLUID

Description

Opus LHM Fluid is a specially formulated mineral oil based hydraulic and brake fluid. Opus LHM Fluid is manufactured from a specialised mineral oil and selected additives to produce a hydraulic and brake fluid with a very high viscosity index.

Benefits

- Suitable for use in systems with pressure in excess of 150 bar.
- Very high viscosity index.
- Excellent wear protection.
- High resistance to oxidation.
- High degree of corrosion inhibition.

Application

Opus LHM Fluid is recommended for use in certain Citroen, Peugeot and Audi vehicles amongst others. It is suitable for systems using green mineral oil. Never use this fluid in reservoirs painted black and those systems using vegetable or synthetic based fluids. Always consult your handbook.

Product Specification

- ISO 7308
- PSA B71 2710

Typical Data

Appearance:	Bright Green
Specific Gravity @ 15.6°C:	0.841
Kinematic Viscosity @ 40°C:	17.85
Kinematic Viscosity @ 100°C:	5.78
Viscosity Index:	312

Health & Safety:

Please refer to the relevant health and safety data sheet, a copy of which is freely available to all of our customers.



Availability

Opus LHM Fluid is available in 1000 litre IBC's, 205 litre barrels and 20 litre drums.

Revision Date: September 2016

Ferguson & Menzies Ltd

312 Broomloan Road

GLASGOW

G51 2JW

Tel: 0141 445 3555

Fax: 0141 425 1079

E-Mail: info@fergusonmenzies.co.uk

Web: www.fergusonmenzies.co.uk